



	A	B	C	D	WEIGHT	FINISH
D3084-1	37.18	36.38	0.257	0.323	0.46 lbs	WHITE POWDER COAT (4.3.5.1) PER DART QSI 4.3
D3084-3	29.80	29.00	0.257	0.257	0.37 lbs	GREY POWDER COAT (4.3.5.6) PER DART QSI 4.3

D3084-XX STRUT
 MAKE FROM DT3084-XX
 (XX IS THE RESPECTIVE DASH NUMBER)

UNDER REVIEW

10.04.26

RELEASED
 2010-04-19

NOTES:

- MATERIAL: 6061-T6 OR 6061-T62 SEAMLESS TUBING
 PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8
 REF DART SPEC M6061T6T0.750W.058
- FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 SEE TABLE FOR POWDER COAT COLOR
- TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED.
- UNITS: INCHES UNLESS OTHERWISE NOTED.
- BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- IDENTIFICATION: NONE.
- WEIGHT: SEE TABLE
- WELD PER DART QSI 004.

B	DRAWING REFORMAT. -3 ADDED. NOTES UPDATED	JPH	10.04.13
A	NEW ISSUE	CP	02.01.21
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3084	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		STRUT	NTS
DATE	10.04.13	COPYRIGHT © 2002 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	